Thin Solid Films, *199* (1991) 397–399

Contents of Volume 199

Issue 1

Publisher's Note v

Editorial vi

Electronics and Optics

Electrical behaviour of electron-beam-evaporated yttrium oxide thin films on silicon 1
R. N. Sharma, S. T. Lakshmikumar and A. C. Rastogi (New Delhi, India)

Electrical properties of flash-evaporated tin selenide films 9
J. P. Singh and R. K. Bedi (Amritsar, India)

Characterization of fluorine-doped tin oxide produced by the pyrosol method 13
B. Gottlieb, R. Koropecki, R. Arce, R. Crisalle and J. Ferron (Santa Fe, Argentina)

Rapid thermal annealing of W–Sm bilayers on p-type silicon 23
G. Eftekhari (New Paltz, NY, U.S.A.)

The dependence of reverse characteristics of high voltage devices passivated by semi-insulating polycrystalline silicon on an interfacial thin film 29
E. P. Burte and G. H. Schulze (Erlangen, F.R.G.)

Metallurgical and Protective Layers

Effect of tantalum or stellite ion beam mixing surface treatment on passivity and pitting of corrosion-resistant steel in NaCl solution 37
N.-K. Huang and Z.-R. Feng (Chengdu, China)

Preparation and Characterization

Plasma-emission-controlled d.c. magnetron sputtering of TiO_{2-x} thin films 45
A. Brudnik, H. Czternastek, K. Zakrzewska and M. Jachimowski (Cracow, Poland)

Compositional changes during magnetron sputtering of alloys 59
S. M. Rossnagel (Yorktown Heights, NY, U.S.A.), I. Yang (Cambridge, MA, U.S.A.) and J. J. Cuomo (Yorktown Heights, NY, U.S.A.)

Effect of the predeposition of gold, silver, tin or lead on the growth and crystallization processes of amorphous antimony layers 71
M. Hashimoto and T. Nohara (Tokyo, Japan)

Crystallization behaviour of amorphous $Si_{1-x}C_x$ films prepared by r.f. sputtering 85
K. Yoshii, Y. Suzaki, A. Takeuchi, K. Yasutake and H. Kawabe (Osaka, Japan)

Preparation of some II–VI semiconductor films by thermal or electron beam evaporation and by hot wall epitaxy and their optical characterization 95
M. Müller (Kaiserslautern, F.R.G.), H. Tian (Changchun, China), U. Becker, M. Grün and C. Klingshirn (Kaiserslautern, F.R.G.)

Silicide formation by solid state reaction of Mo–Ni and Mo-Co films with Si(100) 107
R. S. Rastogi, V. D. Vankar and K. L. Chopra (New Delhi, India)

Mixed phase nanocrystalline boron nitride films: preparation and characterization 113
W. Gissler, J. Haupt, A. Hoffman, P. N. Gibson and D. G. Rickerby (Ispra, Italy)

Structure studies of synthetic diamond thin films by X-ray diffraction 123
F.-Q. Zhang, Z.-Z. Song, J.-Q. Li and G.-G. Chen (Lanzhou, China), X.-L. Jiang (Beijing, China) and Q.-Z. Cong (Lanzhou, China)

ZnS:Eu thin film electroluminescent devices prepared by r.f. magnetron sputtering 129
M. Aozasa, H. Chen and K. Ando (Osaka, Japan)

Oxygen evolution electrocatalysis at thin $Cu_{1.4}Mn_{1.6}O_4$ spinel films on CdO and nickel substrates 139
A. Restovic, G. Poillerat, J. F. Koenig and P. Chartier (Strasbourg, France) and J. L. Gautier (Santiago, Chile)

Pure and mixed evaporated dye layers of a merocyanine: structural and spectroscopic characterization 153
O. Hertz, H. Böttcher and U. Fischer (Dresden, F.R.G.) and H. Fichtner (Berlin. F.R.G.)

Langmuir–Blodgett and Related Films

Soft X-ray diffraction studies on polymeric Langmuir-Blodgett films 161
W. Jark, T. P. Russell, G. Comelli and J. Stöhr (San Jose, CA, U.S.A.), C. Erdelen, H. Ringsdorf and J. Schneider (Mainz, F.R.G.)

Interaction between copper tetra-4(2,4-di*tert*-amylphenoxy)phthalocyanine Langmuir–Blodgett films as a gas-sensitive sensor and NH_3 173
D. P. Jiang, A. D. Lu, Y. J. Li, X. M. Pang and Y. L. Hua (Changchun, China)

Stabilization of monolayers and Langmuir–Blodgett films of mesogenic components by mixing . . 181
A. Öhlmann, W. Rettig, S. Diele and F. Kuschel (Halle, F.R.G.) and W. Weissflog (Leipzig, F.R.G.)

Nucleation in insoluble monolayers II: Constant pressure relaxation of octadecanoic acid monolayers 189
D. Vollhardt, U. Retter and S. Siegel (Berlin, F.R.G.)

Issue 2

Electronics and Optics

Bilayer SnO_2:In/SnO_2 thin films as transparent electrodes of amorphous silicon solar cells. 201
S. Ray, J. Dutta and A. K. Barua (Calcutta, India) and S. K. Deb (Golden, CO, U.S.A.)

Breakdown voltage of silicon chlorine oxides 209
J. Kassabov, St. Georgiev and D. Dimitrov (Sofia, Bulgaria)

Annealing behaviour of optical properties and structure of r.f.-sputtered InSe films 215
S. Shigetomi and H. Ohkubo (Fukuoka, Japan) and T. Ikari (Miyazaki, Japan)

The effects of zinc diffusion on the electrical and optical properties of ZnO:Al films prepared by r.f. reactive sputtering 223
Y. Igasaki and H. Saito (Hamamatsu, Japan)

Preparation and Characterization

Deposition of $MoSi_2$ thin films by laser ablation from free-falling particles 231
G. M. Schrag, S. O. Colgate and P. H. Holloway (Gainesville, FL, U.S.A.)

Bias-referenced X-ray photoelectron spectroscopy of epoxy-treated aluminium oxides 241
W. M. Mullins and B. L. Averbach (Cambridge, MA, U.S.A.)

Properties of Al_2O_3 thin films prepared by ion-assisted evaporation 247
W. Kübler (Karlsruhe, F.R.G.)

Characterization of iron pyrite thin films obtained by flash evaporation 259
C. de las Heras and C. Sanchez (Madrid, Spain)

Low temperature SiO_2 films 269
C. Falcony, A. Ortiz, S. Lopez, J. C. Alonso and S. Muhl (Mexico, Mexico)

Deposition of AlO_xF_y films using d.c. reactive sputtering 279
A. Belkind, B. Kopp and R. Sherman (Murray Hill, NJ, U.S.A.)

The sheet resistance of 3 μm thick Al–1%Si films deposited by batch mode d.c. magnetron sputtering 291
R. J. Wilson and B. L. Weiss (Guildford, U.K.)

Cathodoluminescence properties of diamond films synthesized by microwave-plasma-assisted chemical vapour deposition 299
Y. Muranaka, H. Yamashita and H. Miyadera (Ibaraki, Japan)

The use of electron image contrast to measure the thickness and composition of thin films of light binary alloys 313
O. S. Rajora and A. E. Curzon (Burnaby, BC, Canada)

The structure of ZnS thin films deposited by r.f. sputtering 321
J. M. Blackmore and A. G. Cullis (Malvern, U.K.)

Bistable switching in plasma-polymerized acrylonitrile films 335
J. Tyczkowski (Łódź, Poland)

Quantitative X-ray analysis of interdiffusion Ta/Si multilayer structures. 343
H. L. Meyerheim and H. E. Göbel (Munich, F.R.G.)

Optimization of deposition parameters in ion-assisted deposition of optical thin films 351
P. J. Martin and R. P. Netterfield (Sydney, NSW, Australia)

Langmuir–Blodgett and Related Films

Characterization of long-periodic layered structures by X-ray diffraction
III: Structure of a Langmuir–Blodgett film of cadmium arachidate at elevated temperatures 359
Y. Sasanuma, Y. Kitano, and A. Ishitani (Shiga, Japan), H. Nakahara and K. Fukuda (Urawa, Japan)

Time- and spatially resolved surface plasmon optical investigation of the photodesorption of Langmuir–Blodgett multilayer assemblies 367
W. Hickel and W. Knoll (Mainz, F.R.G.)

Electrical and photoelectrical properties of copper tetra[4-*t*-butylphthalocyanine] Langmuir–Blodgett films 375
E. Brynda, I. Koropecký, L. Kalvoda and S. Nešpůrek (Prague, Czechoslovakia)

Highly oriented polyamide thin films prepared by vapor deposition polymerization 385
A. Kubono, N. Okui, K. Tanaka, S. Umemoto and T. Sakai (Tokyo, Japan)

Author Index 395